




BTL-08 Spiro - demo  
**DEMO**  
 Patient id.:  
**Forced spirometry (FVC)**

Physician: Test Doctor  
 Registered to: BTL Cardiology

Sex: Male      Day of birth: 20.8.1980      Type: European(Caucasian)  
 Weight: 80 kg      Height: 180 cm



date/time	24.3.2015 15:02 Pre			
medicament				
parameter	Unit	Predicted	Pre test	% Predict.
<b>FVC</b>				
FVC	l	5,13	6,99	136,26
FEV1	l	4,26	5,72	134,27
PEF	l/s	9,75	12,12	124,31
FEV1/FVC	%	81,09	81,94	101,05
MMEF	l/s	4,74	5,66	119,41
MEF75	l/s	8,37	10,77	128,67
MEF50	l/s	5,42	6,80	125,46
MEF25	l/s	2,47	2,62	106,07
FIVC	l	-	6,69	-
Aex	l <sup>2</sup> /s	-	43,42	-

**Conclusion:**  
 Interpretation (ATS): normal spirometry  
 Prediction: ECCS/ERS 1993. Examined according to ATS/ERS 2005 recommendations.  
 Repeatability: -FVC -FEV1 -ACC3, Acceptability: +EV 0,138l +TEX 6,6s -Plateau